

جدول ضمیمه ۱- مناطق انتشار گونه‌های جمع‌آوری شده در ایران

Appendix table 1. Distribution of collected species in Iran

Notice: The authenticity of some records in Iran is doubtful due to a lack of clarity on the location of deposited materials for further examination.

Species	Distribution in Iran
<i>Deraeocoris (Knightocapsus) lutescens</i> (Schilling, 1837)	East Azarbaijan (Sadaghian <i>et al.</i> , 2004 Ghahari <i>et al.</i> , 2010; Nikdel <i>et al.</i> , 2011). Fars (Linnavuori, 2009), Golestan (Heiss & Linnavuori, 2002; Linnavuori, 2007). Guilan (Linnavuori, 2007). Kermanshah (Linnavuori, 2009). Khorasan (Modarres Awal, 1997b,c; Linnavuori & Modarres Awal, 1999). Kordestan (Linnavuori, 2009; Ebrahimi <i>et al.</i> , 2012). Kuhgiluyeh & Boyerahmad (Linnavuori, 2009). Lorestan (Linnavuori, 2009). Markazi (Modarres Awal, 1997c; Arkani <i>et al.</i> , 2011). Mazandaran (Linnavuori, 2007). Semnan (Modarres Awal, 1997c). Tehran (Linnavuori, 2007). West Azarbaijan (Linnavuori, 2009).
<i>Deraeocoris (Camptobrochis) serenus</i> (Douglas & Scott, 1868)	Alborz (Linnavuori, 2007). Ardabil (Modarres Awal, 1987; Linnavuori, 2007; Havaskary <i>et al.</i> , 2012). East Azarbaijan (Linnavuori, 2009; Gharaat <i>et al.</i> , 2009). Fars (Linnavuori, 2009). Golestan (Linnavuori, 2007). Guilan (Linnavuori, 2007). Isfahan (Linnavuori, 2009; Rakhshani <i>et al.</i> , 2010; Razmjoo <i>et al.</i> , 2011). Kermanshah (Linnavuori, 2009). Khorasan (Modarres Awal, 1997b; Linnavuori & Modarres Awal, 1999; Havaskary <i>et al.</i> , 2010). Khuzestan (Linnavuori, 2009). Kordestan (Linnavuori, 2009; Ebrahimi <i>et al.</i> , 2012). Kuhgiluyeh & Boyerahmad (Linnavuori, 2009). Markazi (Linnavuori, 2009; Arkani <i>et al.</i> , 2011). Mazandaran (Linnavuori, 2007, 2009). Tehran (Hoberlandt, 1954; Linnavuori, 2007). West Azarbaijan (Linnavuori, 2009; Gharaat <i>et al.</i> , 2009). Yazd (Linnavuori, 2009).
<i>Adelphocoris lineolatus</i> (Goeze, 1778)	Alborz (Yarmand <i>et al.</i> , 2004). Ardabil (Modarres Awal 1987, 1996; Linnavuori, 2007; Havaskary <i>et al.</i> , 2012; Hosseini 2014). East Azarbaijan (Modarres Awal 1997a; Farshbaf Pour-Abad 2000; Sadaghian <i>et al.</i> , 2002; Yarmand <i>et al.</i> , 2004; Khalilzadeh 2008; Linnavuori, 2009; Gharaat <i>et al.</i> , 2009; Hassazadeh <i>et al.</i> , 2009a, b; Khaghaninia <i>et al.</i> , 2010a, c, 2013; Sadeghi <i>et al.</i> , 2009; Havaskary <i>et al.</i> , 2012).

	<p>Fars (Linnavuori, 2009). Golestan (Khormali 2000; Karimian & Khormali 2006; Linnavuori, 2007; Ghahari 2013). Guilan (Linnavuori, 2007; Hosseini, 2014), Hamadan (Khanjani & Kalafchi 2000; Mirab-balou <i>et al.</i>, 2007, 2008; Mirab-balou & Radjabi 2013) Ilam (Linnavuori, 2009). Isfahan (Yarmand <i>et al.</i>, 2004; Linnavuori, 2009). Kermanshah (Linnavuori, 2009). Khorasan (Modarres Awal 1997b, c; Linnavuori, & Modarres Awal, 1999; Havaskary <i>et al.</i>, 2010). Kordestan (Linnavuori, 2009; Ebrahimi <i>et al.</i>, 2012). Kuhgiluyeh & Boyerahmad (Linnavuori, 2009). Lorestan (Linnavuori, 2009). Markazi (Linnavuori, 2009; Arkani <i>et al.</i>, 2011). Mazandaran (Heiss & Linnavuori, 2002; Linnavuori, 2007). Semnan (Kiritshenko, 1949; Farahbakhsh, 1961; Modarres Awal, 1997c). Tehran (Hoberlandt, 1954; Farahbakhsh, 1961; Modarres Awal, 1997c; Linnavuori, 2007). West Azarbaijan (Linnavuori, 2009). Yazd (Miyamoto, 1963). Zanjan (Linnavuori, 2007; Askari <i>et al.</i>, 2009).</p>
<i>Adelphocoris ticinensis</i> (Meyer-Dür, 1843)	<p>Guilan (Linnavuori, 2007; Hosseini, 2014). Mazandaran (Wagner, 1957; Linnavuori, 2007).</p>
<i>Charagochilus gyllenhali</i> (Fallén, 1807)	<p>Ardabil (Linnavuori, 2007). Fars (Linnavuori, 2009). Guilan (Linnavuori, 2007). Ilam (Linnavuori, 2009). Khorasan (Linnavuori & Modarres Awal, 1999). Kordestan (Linnavuori, 2009). Kuhgiluyeh & Boyerahmad (Linnavuori, 2009). Lorestan (Linnavuori, 2009). Tehran (Linnavuori, 2007). West Azarbaijan (Linnavuori, 2009). Zanjan (Linnavuori, 2007).</p>
<i>Closterotomus costae</i> (Reuter, 1888)	<p>Golestan (Heiss & Linnavuori, 2002). Guilan (Linnavuori, 2007). Khorasan (Linnavuori & Modarres Awal, 1999).</p>
<i>Megaloceroea recticornis</i> (Geoffroy, 1785)	<p>Golestan (Heiss & Linnavuori, 2002). Guilan (Linnavuori, 2007; Hosseini, 2013c).</p>
<i>Mermitelocerus schmidtii</i> (Fieber, 1836)	<p>East Azarbaijan (Khaghaninia <i>et al.</i>, 2010b). Golestan (Heiss & Linnavuori, 2002). Guilan (Linnavuori, 2007).</p>
<i>Miris persicus</i> (Reuter 1876)	<p>Golestan (Reuter, 1876) Guilan (Hosseini, 2015)</p>
<i>Phytocoris (Ktenocoris) varipes</i> Boheman, 1852	<p>Golestan (Heiss & Linnavuori, 2002; Linnavuori, 1999b). Guilan (Linnavuori, 1999b, 2007).</p>

	Khorasan (Linnavuori, 1999b). Mazandaran (Heiss & Linnavuori, 2002; Linnavuori, 2007) Zanjan (Linnavuori, 2007).
<i>Phytocoris (Ktenocoris) insignis</i> Reuter, 1876	Ardabil (Linnavuori, 2007). Guilan (Linnavuori, 1999b). Tehran (Linnavuori, 2007) West Azarbaijan (Linnavuori, 1999b, 2009).
<i>Phytocoris (Exophytocoris) scitulus scitulus</i> Reuter, 1908	Ardabil, Golestan, Guilan (Linnavuori, 1999b; 2007). Khorasan (Linnavuori, 1999b; Linnavuori, & Modarres Awal, 1999). Mazandaran, Tehran (Linnavuori, 1999b; 2007). Zanjan (Linnavuori, 2007).
<i>Stenodema (Brachystira) calcarata</i> (Fallén, 1807)	Ardabil (Linnavuori, 2007; Havaskary <i>et al.</i> , 2012; Hosseini, 2013c). East Azarbaijan (Linnavuori, 2009; Ghahari <i>et al.</i> , 2010; Khaghaninia <i>et al.</i> , 2010a, c). Fars (Linnavuori, 2009). Golestan (Heiss & Linnavuori, 2002). Guilan (Linnavuori, 2007; Hosseini, 2013c). Kermanshah (Linnavuori, 2009). Khorasan (Linnavuori & Modarres Awal, 1999; Heiss & Linnavuori, 2002). Khuzestan (Linnavuori, 2009), Kordestan (Ebrahimi <i>et al.</i> , 2012). Kuhgiluyeh & Boyerahmad (Linnavuori, 2009), Markazi (Arkani <i>et al.</i> , 2011). Mazandaran (Heiss & Linnavuori, 2002). Tehran (Linnavuori, 2007). West Azarbaijan (Linnavuori, 2009). Zanjan (Linnavuori, 2007).
<i>Stenodema (Stenodema) laevigata</i> (Linnaeus, 1758)	Ardabil (Linnavuori, 2007; Hosseini, 2013c). Fars (Miyamoto 1963). Guilan (Linnavuori, 2007; Hosseini, 2013c). Kermanshah (Sakenin <i>et al.</i> , 2010). Kordestan (Ebrahimi <i>et al.</i> , 2012).
<i>Stenotus binotatus</i> (Fabricius, 1794)	Guilan (Zamani & Hosseini, 2020)
<i>Globiceps (Globiceps) coryli</i> Putshkov, 1970	Guilan (Hosseini <i>et al.</i> , 2000; Linnavuori, 2007).
<i>Blepharidopterus angulatus</i> (Fallén, 1807)	Alborz (Linnavuori, 2007). East Azarbaijan (Nikdel <i>et al.</i> , 2011). Golestan (Linnavuori, 2007). Guilan (Hosseini <i>et al.</i> , 2000; Linnavuori, 2007). Tehran (Linnavuori, 2007). West Azarbaijan (Mostaan, 1993; Modarres Awal, 1997c).
<i>Blepharidopterus diaphanus</i> (Kirschbaum, 1856)	Ardabil (Linnavuori, 2007). Guilan (Hosseini <i>et al.</i> , 2000; Linnavuori, 2007). Ilam, Kermanshah (Linnavuori, 2009).

	<p>Khorasan (Linnavuori & Modarres Awal, 1999; Heiss & Linnavuori, 2002). Kordestan (Linnavuori, 2009). Tehran (Linnavuori, 2007). West Azarbaijan (Linnavuori, 2009).</p>
<p><i>Malacocoris chlorizans</i> (Panzer, 1794)</p>	<p>Alborz (Linnavuori, 2007). Guilan (Hosseini <i>et al.</i>, 2000; Linnavuori, 2007). Khorasan (Linnavuori, & Modarres Awal, 1999; Konstantinov & Namyatova 2009; Linnavuori, 2007). Kuhgiloyeh & Boyerahmad (Linnavuori, 2009). Lorestan (Linnavuori, 2009). Tehran (Linnavuori, 2007). West Azarbaijan (Mostaan, 1993; Modarres Awal, 1997c; Linnavuori, 2009). Zanjan (Linnavuori, 2007).</p>
<p><i>Reuteria kiritshenkoi</i> Muminov, 1964</p>	<p>Golestan (Linnavuori, 2007). Guilan (Hosseini <i>et al.</i>, 2000; Linnavuori, 2007) Khorasan (Linnavuori, & Modarres Awal, 1999; Linnavuori, 2007).</p>
<p><i>Orthonotus rufifrons</i> (Fallén, 1807)</p>	<p>Golestan (Heiss & Linnavuori, 2002). Guilan (Hosseini <i>et al.</i>, 2002; Linnavuori, 2007).</p>
<p><i>Pilophorus confusus</i> (Kirschbaum, 1856)</p>	<p>Alborz (Linnavuori, 2007). Ardabil (Linnavuori, 2007; Hosseini, 2013a). East Azarbaijan, Fars (Linnavuori, 2009). Guilan (Linnavuori, 2007; Hosseini, 2013a). Isfahan (Jafari <i>et al.</i>, 2002). Khorasan (Linnavuori & Modarres Awal, 1999). Mazandaran and Tehran (Linnavuori, 2007).</p>
<p><i>Plagiognathus</i> (<i>Plagiognathus</i>) <i>fulvipennis</i> (Kirschbaum, 1856)</p>	<p>Ardabil (Linnavuori, 2007). Fars (Zarei <i>et al.</i>, 2012). Golestan (Heiss & Linnavuori, 2002; Ghahari <i>et al.</i>, 2011) Guilan (Hosseini <i>et al.</i>, 2002; Linnavuori, 2007). Khuzestan, Kordestan, Kuhgiloyeh & Boyerahmad, Lorestan (Linnavuori, 2010). Markazi (Arkani <i>et al.</i>, 2011). Tehran (Linnavuori, 2007). West Azarbaijan (Linnavuori, 2010).</p>

References

- Arkani, T., Hosseini, R., & Vafaei Shoushtari, R. (2011). Faunistic study of plant bugs (Miridae) and determination of dominant species in the agricultural farmlands and gardens of Arak and suburbs. *Journal of Entomological Research*, 3(2), 85–93. (in Farsi with English summary)
- Askari, O., Farshbaf Pour-Abad, R., & Khaghaninia, S. (2009). Faunistic study of Heteroptera of Zanjan Roud region in Zanjan province of Iran. *Munis Entomology & Zoology*, 4, 560–563.
- Ebrahimi, A., Hosseini, R., & Vafai Shoushtari, R. (2012). A faunal study of plant bugs (Hemiptera: Miridae) in Ghorveh and its counties (Kurdistan province, Iran). *Entomofauna*, 33(4), 25–40.
- Farahbakhsh, G. (1961). Order Heteroptera. In Farahbakhsh, G. (Ed.). Checklist of important insects and other enemies of plants and agricultural products in Iran. Ministry of Agriculture, Department of Plant Protection, Tehran, pp. 24–28.
- Farshbaf Pour-Abad, R. (2000). Heteroptera fauna of alfalfa fields of Maragheh and nearby cities. Proceedings of 14th Iranian Plant Protection Congress, Isfahan University of Technology, Isfahan, 232 pp.
- Ghahari, H., Cai, W. Zh., Chérot, F., Moulet, P., Carpintero, D. L., Montemeyer, S. I., Ostovan, H., Havaskary, M., & Linnavuori, R. E. (2010). A contribution to Heteroptera (Hemiptera) of Arasbaran and vicinity, Northwestern Iran. *Entomotaxonomia*, 32, 186–194.
- Gharaat, M. A., Safaralizadeh, M. H., & Fallahzadeh, M. (2007). The first report of the genus and species *Capsus cinctus* (Hem.: Miridae) from Iran. *Journal of Entomological Society of Iran*, 27(2), 23–24.
- Gharaat, M. A., Hassanzadeh, M., Safaralizadeh, M. H., & Fallahzaseh, M. (2009). Notes on the true bug (Heteroptera) fauna of Azerbaijan province, Iran. *Turkish Journal of Zoology*, 33, 421–431.
- Hassazadeh, M., Farshbaf Pour-Abad, R., & Shayesteh, N. (2009a). An investigation on some Heteroptera in Marand region (Iran). *Munis Entomology & Zoology*, 4(1), 19–24.
- Hassazadeh, M., Farshbaf Pour-Abad, R., Gharaat, M. A., & Beykpor, A. R. (2009b). A study of the Heteroptera fauna of Shend Abad Region and environ (Iran). *Munis Entomology & Zoology*, 4(2), 527–530.
- Havaskary, M., Hossein Pour, F., & Modarres Awal, M. (2010). Cimicomorpha and Pentatomomorpha (Heteroptera) of alfalfa from Mashhad and vicinity, NE Iran. *Munis Entomology & Zoology*, 5(1), 253–261.
- Havaskary, M., Farshbaf Pour-Abad, R., Kazemi, M. H., Refeii, A., & Havaskary, S. (2012). An investigation to the fauna of Cimicomorpha (Heteroptera) from Parsabad-e-Moghan and vicinity, NW Iran. *Munis Entomology & Zoology*, 7(2), 1101–1105.
- Heiss, E., & Linnavuori, R. E. (2002). Beitrage zur Kenntnis der Wanzenfauna Irans, II. *Carinthia II*, 192, 615–632.
- Hoberlandt, L. (1955). Hemiptera—Heteroptera from Iran, I. *Acta Entomologica Musei Nationalis Pragae*, 29(1954), 121–148.
- Hosseini, R. (2013a). On the genus *Pilophorus* Hahn (Hemiptera: Heteroptera: Miridae: Bryocorinae) in Guilan province and adjacent areas. *Entomofauna*, 34(5), 105–116.
- Hosseini, R. (2013b). On the tribe Dicyphini (Hemiptera: Miridae) in Guilan province and adjacent areas (Iran). *Entomofauna*, 34(11), 157–168.
- Hosseini, R. (2013c). On the tribe Stenodemini (Hemiptera: Miridae: Mirinae) in Guilan province and adjacent areas (Iran). *Entomofauna*, 34(29), 377–396.
- Hosseini, R. (2014). On the genus *Adelphocoris* (Hemiptera: Miridae) in Guilan province (Iran) and adjacent areas. *Entomofauna*, 35(18), 413–424.
- Hosseini, R. (2015). Redescription of the plant bug *Miris persicus* Reuter (Hemiptera: Heteroptera: Miridae: Mirinae). *Entomologica Americana*, 121(1-4), 18–22. DOI:<https://doi.org/10.1664/14-SN-019.1>

- Hosseini, R., & Linnavuori, R. E. (2000). Taxonomic study on a new species of *Polymerus* Westwood (Het.: Miridae) in the world. *Proceedings of 14th Iranian Plant Protection Congress*, University of Technology, Isfahan, pp. 356.
- Hosseini, R., Linnavuori, R. E., Sahragard, A., & Hajizadeh, J. (2000). A faunal study on the mirids of Guilan province (Heteroptera, Miridae, Orthotylinae). *Proceedings of 14th Iranian Plant Protection Congress*, Isfahan University of Technology, Isfahan, pp. 357.
- Hosseini, R., Sahragard, A., Hajizadeh, J., & Linnavuori, R. E. (2002). Taxonomic study of mirid bugs in Guilan province—Tribe Phylini (Heteroptera; Miridae; Phylinae). *Proceedings of 15th Iranian Plant Protection Congress*, Razi University of Kermanshah, pp. 180–181.
- Jafari, M., Sadeghi, E., & Babmorad, M. (2002). Natural enemies of poplar lace bug, *Monosteira unicostata* Mulsant & Rey (Tingidae) in Isfahan province. *Proceedings of 15th Iranian Plant Protection Congress*, Razi University, Kermanshah, pp. 120.
- Karimian, Z. & Khormali, S. (2006). Identification the cotton damaging bugs and determining the abundance of major species in different microclimate of Golestan province. *Proceedings of 17th Iranian Plant Protection Congress*, Campus of Agriculture and Natural Resources, University of Tehran, Karaj, 83 pp.
- Khaghaninia, S., Askari, O., Farshbaf Pour-Abad, R., & Shalim, K. (2010a). Some additional notes about Heteroptera fauna of Qaradag forests-Iran. *Munis Entomology & Zoology*, 5(2), 513–518.
- Khaghaninia, S., Farshbaf Pour-Abad, R., & Askari, O. (2010b). First record for seven species of leaf bugs (Hemiptera, Miridae) for Iran insect fauna from East Azarbayjan province. *Munis Entomology & Zoology*, 5(1), 309–310.
- Khaghaninia, S., Farshbaf Pour-Abad, R., Askari, O., & Fent, M. (2010c). An introduction to true bugs fauna of Gunber valley including two new records for Iranian fauna (Hemiptera: Heteroptera). *Munis Entomology & Zoology*, 5(2), 354–360.
- Khaghaninia, S., Farshbaf Pour-Abad, R., & Askari, O. (2011). A contribution to the Heteroptera fauna of Zunuz region, northwest of Iran. *North-Western Journal of Zoology*, 7(1), 35–38.
- Khaghaninia, S., Farshbaf Pour-Abad, R., Askari, O., & Havaskari, M. (2013). A faunistic study of True Bugs (Heteroptera) from Horand Grasslands, NW Iran. *Munis Entomology & Zoology*, 8(1), 468–474.
- Khalilzadeh, A. (2008). Identification of Heteroptera fauna of alfalfa fields in Azarshahr region of Azarbayejane-Sharqi province, Iran. *Journal of New Agricultural Science*, 4(9), 5.
- Khanjani, M., & Kalafchi, M. (2000). Recognition of seed crop alfalfa pests and study on the biology of dominant injurious species in Hamadan. *Proceedings of 14th Iranian Plant Protection Congress*, Isfahan University of Technology, Isfahan, pp. 24.
- Khormali, S. (2000). Mirid bugs damaging cotton in Gonbad region and investigation on dominant species. *Proceedings of 14th Iranian Plant Protection Congress*, Isfahan University of Technology, Isfahan, 43 pp.
- Kiritshenko, A. N. (1949). True bugs (Hemiptera-Heteroptera) sampled by academician E. N. Pavlovsky in 1942 in Iran. *Trudy Zoologicheskogo Instituta Akademii Nauk SSSR*, 8, 879–887
- Linnavuori, R. E. (2007). Studies on the Miridae (Heteroptera) of Gilan and the adjacent provinces in northern Iran. II. List of species. *Acta Entomologica Musei Nationalis Pragae*, 47, 17–56.
- Linnavuori, R. E. (2009). Studies on the Nepomorpha, Gerromorpha, Leptopodomorpha, and Miridae excluding Phylini (Hemiptera: Heteroptera) of Khuzestan and the adjacent provinces of Iran. *Acta Entomologica Musei Nationalis Pragae*, 49(1), 1–32.
- Mirab-balou, M., Khanjani, M., & Zolfaghari, M. (2007). The Preliminary study of true bugs (Hemiptera: Heteroptera) fauna in the alfalfa field of Hamadan province (Western Iran). *Pakistan Entomologist*, 29(1), 5–8.
- Mirab-balou, M., & Radjabi, R. (2013). *Lygus rugulipennis* Poppius (Hemiptera: Miridae): A key pest on alfalfa (*Medicago sativa* L.) in west of Iran, and checklist of the insect pests. *Persian Gulf Crop Protection*, 2(1), 57–66.

- Mirab-balou, M., Rasoulia, Gh. R., Khanjani, M., & Sabahi, Q. (2008). Study on taxonomy of phytophagous bugs of the family Miridae and introducing insects natural enemies of the alfalfa tarnished plant bug in Hamedan alfalfa farms (west of Iran). *Pakistan Entomologist*, 30(1), 55–60.
- Miyamoto, S. (1963). Heteropterous Insects from Iran and Afghanistan. In Ueno, M. (Ed.). Results of the Kyoto University Scientific Expedition to the Karakorum and Hindukush, 1955. Vol. IV. Insect fauna of Afghanistan and Hindukush. Kyoto University, Kyoto, pp. 89–92.
- Modarres Awal, M. (1987) Collecting and determining of the fauna of Heteroptera in Ardabil area and research station of university of Tabriz in Moghan. *Journal of the Entomological Society of Iran*, 9, 15–28. (in Farsi with English summary)
- Modarres Awal, M. (1996). Studies on some Cimicomorpha and Pentatomorpha (Heteroptera) fauna in Ardabil province. *Journal of Agricultural Science and Technology*, 10, 102–112. (in Farsi with English summary)
- Modarres Awal, M. (1997a). Determination of some fauna of Cimicomorpha and Pentatomorpha (Het.) in Tabriz area. *Journal of Agricultural Sciences*, 7, 43–56.
- Modarres Awal, M. (1997b). Studies on some of Miridae, Reduviidae and Tingidae fauna in north of Khorasan province. *Journal of Agricultural Science & Technology University of Mashhad*, 1(1), 89–96. (in Farsi with English summary)
- Modarres Awal, M. (1997c). Family Miridae. In Modarres Awal, M. (Ed.). List of agricultural pests and their natural enemies in Iran. Ferdowsi University Press, Mashhad, pp. 73–75.
- Modarres Awal, M. (1998). Fauna of Cimicomorpha and Pentatomomorpha (Het.) in Tabriz. Proceedings of 13th Iranian Plant Protection Congress. Campus of Agriculture and Natural Resources, University of Tehran, Karaj, pp. 238.
- Nikdel, M., Dordaei, A. A., & Matocq, A. (2011). Faunistic study on Hemiptera in Arasbaran area (East Azarbaijan province, Iran). *Munis Entomology & Zoology*, 6(1), 389–395.
- Rakhshani, H., Ebadi R., Hatami, B., Rakhshani, E., & Gharali, B. (2010). A survey of alfalfa aphids and their natural enemies in Isfahan, Iran, and the effect of alfalfa strip-harvesting on their populations. *Journal of Entomological Society of Iran*, 30(1), 13–28.
- Razmjoo, M., Mortezae Nejjhad, F., Jalali Zand, A., & Jafarpour, M. (2011) Study on Heteroptera in biotope of alfalfa fields in Isfahan province. International Conference on Life Science and Technology IPCBEE Vol. 3 (2011), IACSIT Press, Singapore, pp. 150–152.
- Reuter, O. M. (1876). Diagnose d'une espe` ce nouvelle d'He` mipte` re de la famille des Capsides. *Petites Nouvellesentomologiques* 2(140), 5 pp.
- Sadaghian, B., Dordaei, A. A., & Nikdel, M. (2002). Faunistic study on Heteroptera order in Arasbaran forests. Proceedings of 15th Iranian Plant Protection Congress, Razi University, Kermanshah, pp. 180.
- Sadaghian, B., Dordaei, A. A., & Nikdel, M. (2004). An investigation on some Heteroptera in Arasbaran forests. Proceedings of 16th Iranian Plant Protection Congress, Tabriz University, pp. 128.
- Sadeghi, R., Farshbaf Pour-Abad, R., Kazemi, H., & Hassanzadeh, M. (2009). Introduction of some Heteroptera of Qurigol (Iran). *Munis Entomology & Zoology*, 4(2), 498–500.
- Sakenin, H., Samin, N., Rastegar, J., Havaskary, M., Imani, S., & Linnavuori, R. E. (2010). A faunistic survey on Heteroptera (Insecta) of Western Iran. *Linzer Biologische Beiträge*, 42, 861–872.
- Wagner, E. (1957). Heteropteren aus Iran 1954 II. Teil Hemiptera-Heteroptera (Fam. Miridae). Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, in Iran 1954 und 1956–Nr. 9. Jahreshefte des Vereins für Vaterländische Naturkunde in Württemberg, 122, 74–103.
- Yarmand, H., Sadeghi, S.E., Asgari, H., Mehrabi, A., & Matocq, A. (2004). Diversity of some Miridae (Heteroptera) species associated with forests and rangelands of Iran. Proceedings of 16th Iranian Plant Protection Congress, University of Tabriz, Tabriz, pp. 154.
- Zamani, M. & Hosseini, R. (2020). An illustrated taxonomic key to genera of Mirinae (Hemiptera: Heteroptera: Miridae) with three new records from Iran. *Russian Entomological Journal*, 29(1), 20–32. DOI: <https://doi.org/10.15298/rusentj.29.1.04>

Zarei, A., Dousti, A., & Fallahzadeh, M. (2012). Fauna survey of family Miridae (Hemiptera: Heteroptera) in Darab—Fars. Proceedings of 20th Iranian Plant Protection Congress, University of Shiraz, Shiraz, 99 pp.